# This Page Is Inserted by IFW Operations and is not a part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Page 1 of 32

Applicant(s): Stephen K. Pinto et al. PREDICTIVE MODEL VALIDATION






FIGURE 2

50

Data Type Unique Number indexing Model Projects **AutoNumbe** Unique Number indexing Model Projects
Reference Name for Model Projects
Type of Model to be constructed (Response, Clone, Suppression, .
Analyst-defined goal for current Model Project
Identifying Time Stamp for first use
Last used Time Stamp
Full pethname reference to Development dataset
Full pathname reference to the Construction of the Construction
Target variable selected for Model
Destruct in Model set by Analyst
Destruct zone of position Model
Destruct zone of position Model Set by Clent ProjectType Text Date/Time Date/Time Projection - 58 6 C Text ProjectDataDictionary
ProjectLog
DependentVariable

62 Text Text Text ModelFitnessCriterion Numbe Number Number Number Number Number Desired zone of positive Model Gain set by Analyst
Desired zone of positive Model Gain set by Client
Desired zone of positive Model Gain set by Client
Total number of records in Development Detaset
Number of successful outcomes as a percent of Development Dataset Size
Size of Training Sample as a percent of total Development Dataset Size used for Candidate Model
Initial Number of Predictor Variables ModelPerformanceCriterion
ModelPerformanceMonotonicityCriterion
DevelopmentDatasetSize PositiveOut.comes(%) SempleSize(%) VariableCount Number Hyperink Hyperink Hyperink SampleDistribution SampleByDistribution Distribution of Predictor Variables: Graphs and Statistics Distribution of Predictor Variables for Positive and Negative Outcomes Interaction Tree Cross-validated Partition Tree for Key Predictor Variables Number Number Number Number of Predictor Variables Eliminated for Missing Variables DimensionReductionMissinoFilter Number of Predictor Variables Elminated for Missing Variables Cutoff set by Analyst for Percent of Missing Values Acceptable Number of Predictor Variables Retained for Main Effects Cutoff set by Analyst for Significance of Main Effects Number of Predictor Variables Retained for Interaction Effects Cutoff set by Analyst for Significance of Interaction Effects Number of Predictor Variables resulting from Dimension Reduction DimensionReductionCutoff
DimensionReductionMainEffects DimensionReductionMainEffectsCutoff DimensionReductionInteractionEffects DimensionReductionInteractionEffects Number Number Number DimensionReductionVariableCount Number CandidateModelChoice CandidateModelChoiceCon Text Number Model Type applied to Dimension Reduced Dataset Retention Cutoff or Significance Level for Model Variables CandidateModelResults CandidateModelLiftChart CandidateModelPersistenceChart Hyperlink Hyperlink Hyperlink Model Fitting Results Model Non-cumulative Lift Chart Model Persistence Chart for Key Variables Method Selected for Model Development Process Validation Text Hyperlink ValidationMethod ValidationMethodResults Model Application to Validation Dataset(s) Results Model Application to Yaldation Detaset(s) Results
Model Validation Lift Chart
Model Development Process applied to full Development Dataset Results
Final Model applied to Sample and Yaldation Datasets for Cumulative Lift
Final Model applied to Sample and Yaldation Datasets for Non-cumulative Lift
Model Parameterized Equation using Model Transformed Variables
Full pathname reference to Scoring File Input Dataset
Key Yariable Comparison on Decile Basis
Transports Your District Vision for Development and Scoring File (School) ValidationMethodUftChart Hyperlink Hyperlink FinalModelLiftChartComparison FinalModelNonCumuletiveLlftChartComparison FinalModelEquation Text | ScoringDataset | DevelopmentScoringComparison | DevelopmentScoringDistributionComparison Text Hyperink Hyperink Text Propensity Score Distribution for Development and Scoring File (Subset) Propersity Score Distribution for Development and Scon Full pathness reference to Scoring File Output Dataset Method for Ranking Customer Insight Variables Ranked List of Key Variables Insight Chert of Key Variable Differential Contribution **InsightProfileMethod** Text InsightProfile InsightProfileChart Hyperlink Hyperlink FinalReportEntry Final Report Description and Comments

FIGURE 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

Applicant(s): Stephen K. Pinto et al. PREDICTIVE MODEL VALIDATION




FIG. 13




FIG. 14





FIG. 15






FIG. 17




FIG. 18A

Ⅲ DataDictionary : Table	The state of the s			M-OX
Variable ***	Variable Type	Variable Description	Variable Definition	Status
CustomerID	N	Identification Number for Customer	CustomerID	XP
Current purchase	N	Made a purchase in current campaign	Current_purchase	P
Recent_purchase	N	Recently purchased	Recent_purchase	Р
Recently_contacted	N	Contacted within last 8 months	Recently_contacted	Р
Very_recently_contacted	N	Contacted within last 30 days	Very_recently_contacted	Р

FIG. 18B




FIG. 19.




FIG. 20A




FIG. 20B




FIG. 21A




FIG. 21B

	Variable Editor
Variable	Definition
Prior_puichase1_I	Prior_purchase1*
Description	
Purchase of first kind in recent campaign	
Edit Saye Clear L	og Square SQRT (X)

FIG. 21C




FIG. 21D




FIG. 21E

Dimension Reduction Palette	
Sparsely Populated Variables	
Exclude variables fewer observations less than _%	(Default is 5%) 5
-	
	*
Forward Stepwise OLS (X), X *Xk, X*+Z, (X*+Z)*Z)	
Set Cut-off for Main Effects (Default is 0.05)	0.05
Set Cut-off for Non-linear Interaction (Default is 0.05)	0.05
	J0.03   Y
Set Cut-off for Summation (Default is 0.05)	0.05
	· [age [5]]
Set Cut-off for Summation (Default is 0.05)	0.05
	A STATE OF THE PARTY OF THE PAR
	Reduce
	Ticado
	Advance to Modeling
Number of Predictor Variables reduced to: 12	Cancel
· 网络斯特勒克斯勒德的葡萄藤特斯特 医二克克氏病 多克克克氏病	Lancel
	Review Predictors

FIG. 22

Methods  Stepwise Logistic Regression  Logit Regression Method  Mixed  M	hange
Stepwise Logistic Regression  Logit Regression Method  Mixed  Mixed  Mixed  Continuous Least Squares  Significance Levels for Predictor Variable Status Continuous Regression  Entry  Stepwise Linear Discriminant Analysis (General Least Logit Regression Assumptions  Logit Regression  Mixed  Continuous Regression  Continuous Regression  Logit Regression  Forward  Continuous Regression  Continuous Regression  Logit Regression  Mixed  Continuous Regression  Continuous Regression  Logit Regression  Forward  Continuous Regression  Continuous Regression  Continuous Regression  Logit Regression  Continuous Regression  Con	hange
Maximum Likelihood  O Ordinary Least Squares  O Backwal  Significance Levels for Predictor Variable Status Cl  Entry  O 30  Retain  O Stepwise Linear Discriminant Analysis (General L  LDA Regression Assumptions  LDA Regres	hange
O Ordinary Least Squares  Significance Levels for Predictor Variable Status Clentry  Entry  O.30  Retain  O.30  Cleneral L  LDA Regression Assumptions  LDA Regress	hange
Significance Levels for Predictor Variable Status Cl Entry 0.30 P Retain 0.30 P  Stepwise Linear Discriminant Analysis (General L LDA Regression Assumptions LDA Regres	hange
Significance Levels for Predictor Variable Status Cl Entry 0.30 P Retain 0.30 P  Stepwise Linear Discriminant Analysis (General L LDA Regression Assumptions LDA Regres	hange
Entry 0.30 Retain 0.30 C  Stepwise Linear Discriminant Analysis (General L  LDA Regression Assumptions LDA Regres	
© Stepwise Linear Discriminant Analysis (General L	
© Stepwise Linear Discriminant Analysis (General L	
LDA Regression Assumptions LDA Regres	
LDA Regression Assumptions LDA Regres	
	ocation Model)
	sion Mode 🚃
☐ Equal Variances	
☐ Box Test ☐ Forward	
☐ Normal Distribution ☐ ☐ Backwa	rd
Significance Levels for Predictor Variable Status C	hange — i
Entry 0.30 🕶 Retain 0.30 🖃	
	A September

FIG. 23A




FIG. 23B




FIG. 23C

MODEL SELECT

VARIABLE SELECTOR

Trable

FIG. 24





FIG. 25A

#### Receiver Operating Characteristic




Using Current\_Purchase='1' to be the positive level Area Under Curve = 0.74906

FIG. 25B

Matter No.: 17146-008001

Applicant(s): Stephen K. Pinto et al. PREDICTIVE MODEL VALIDATION

#### Receiver Operating Characteristic



Using Current\_Purchase='1' to be the positive level Area Under Curve = 0.75884

FIG. 25C




FIG. 26




FIG. 27A




FIG. 27B


Applicant(s): Stephen K. Pinto et al. PREDICTIVE MODEL VALIDATION



### Existing users of Current\_purchase tend to be . . .

- 1. Purchase of first kind in recent campaign
- 2. Contacted before purchase of first kind
- 3. Contacted within last 8 months
- 4. Purchase of second kind in recent campaign
- 5. No purchase of first kind in recent campaign
- 6. Recently purchased
- 7. Contacted before purchase of second kind
- 8. located in Zone 6

FIG. 27C



Characteristic

FIG. 27D